

# CERTIFICATE

of Conformity of the Factory Production Control

**1922 - CPR - 1169**

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

**Chimneys. Requirements for metal chimneys. Metal flue liners and connecting flue pipes**

(The relevant thicknesses and diameters of the product are described in Annex I, that is an inseparable part of this certificate.)

placed on the market under the name or trade mark of

**AIRTECHNIC CHATZOUDIS LTD**

**MICHAIL KARAOLI 19 GR-14343 NEA CHALKIDONA, GREECE**

and produced in the manufacturing plant

**AIRTECHNIC CHATZOUDIS LTD**

**4th KM NATIONAL ROAD THIVA-CHALKIDA GR-32200 THIVA, GREECE**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 1856-2:2009**

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 19.06.2019 and will remain valid until 19.02.2023 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address [www.dedal-bg.net](http://www.dedal-bg.net).



Attestation &  
Certification

Manager:

*Anna Vasileva*



dipl. eng. Anna Vasileva

Issued:  
Burgas, 21 February 2022

Ref. No. 01-00



**ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-1169/ 21.02.2022****Chimneys. Requirements for metal chimneys. Metal flue liners and connecting flue pipes, acc. to EN 1856-2:2009**

DESCRIPTION	DESIGNATION
<b>AIRTECHNIC IS 304</b> Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Diameters: Ø80mm to Ø500mm	EN 1856-2 T600-N1-D-Vm-L20040-G(100)M
<b>AIRTECHNIC IS 316 L</b> Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses from 0,40 mm to 0,50 mm Diameters: Ø80mm to Ø500mm	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M
<b>AIRTECHNIC MDA 304</b> Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket/ rock wool fiber, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø500mm- Ø550mm	EN 1856-2 T600-N1-D-Vm-L20040-G(100)M
<b>AIRTECHNIC MDA 316L/304</b> Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø500mm- Ø550mm	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M
<b>AIRTECHNIC MDA 316L PLUS</b> Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø500mm- Ø550mm	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M

**Manager:**

dipl. eng. Anna Vasileva

Issued:  
Burgas, 21 February 2022

Ref. No. 01-00