

CERTIFICATE

of Conformity of the Factory Production Control

1922 - CPR - 1168

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Chimneys. Requirements for metal chimneys. System chimney products.

(The relevant thicknesses and diameters of the product are described in Annex I, that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

AIRTECHNIC CHATZOUDIS LTD

PAPARRHGOPOULOU 10 GR-12132 PERISTERI, GREECE

and produced in the manufacturing plant

AIRTECHNIC CHATZOUDIS LTD

4th KM NATIONAL ROAD THIVA-CHALKIDA GR-32200 THIVA, GREECE

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 19.06.2019 and will remain valid until 19.02.2025 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Manager:



dipl. eng. Anna Vasileva

Issued:
Burgas, 16 February 2024

Ref. No. 03-00

ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-1168/ 16.02.2024

Chimneys. Requirements for metal chimneys. System chimney products, acc. to EN 1856-1:2009

DESCRIPTION	DESIGNATION
<p>AIRTECHNIC IS 304</p> <p>Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Diameters: $\varnothing 80$mm to $\varnothing 600$mm</p>	EN 1856-1 T200-P2-D-Vm-L20040-O(40)
<p>AIRTECHNIC IS 316 L</p> <p>Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses $\geq 0,40$ mm Diameters: $\varnothing 80$mm to $\varnothing 600$mm</p>	EN 1856-1 T200-P2-D-Vm-L50040-O(40)
<p>AIRTECHNIC MDA 304</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$mm- $\varnothing 130$mm to $\varnothing 600$mm- $\varnothing 650$mm</p>	EN 1856-1 T200-P2-D-Vm-L20040-O(40)
<p>AIRTECHNIC MDA 316L/304</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$mm- $\varnothing 130$mm to $\varnothing 600$mm- $\varnothing 650$mm</p>	EN 1856-1 T200-P2-D-Vm-L50040-O(40)
<p>AIRTECHNIC MDA 316L PLUS</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$mm- $\varnothing 130$mm to $\varnothing 600$mm- $\varnothing 650$mm</p>	EN 1856-1 T200-P2-D-Vm-L50040-O(40)



Manager:

Vasileva



dipl. eng. Anna Vasileva

Issued:
Burgas, 16 February 2024

Ref. No. 03-00

CERTIFICATE

of Conformity of the Factory Production Control

1922 - CPR - 1169

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Chimneys. Requirements for metal chimneys. Metal flue liners and connecting flue pipes

(The relevant thicknesses and diameters of the product are described in Annex I, that is an inseparable part of this certificate.)

placed on the market under the name or trade mark of

AIRTECHNIC CHATZOUDIS LTD

PAPARRHGOPOULOU 10 GR-12132 PERISTERI, GREECE

and produced in the manufacturing plant

AIRTECHNIC CHATZOUDIS LTD

4th KM NATIONAL ROAD THIVA-CHALKIDA GR-32200 THIVA, GREECE

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-2:2009

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 19.06.2019 and will remain valid until 19.02.2025 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Manager:

Anna Vasileva



dipl. eng. Anna Vasileva

Issued:
Burgas, 16 February 2024

Ref. No. 03-00

ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-1169/ 16.02.2024

Chimneys. Requirements for metal chimneys. Metal flue liners and connecting flue pipes, acc. to EN 1856-2:2009

DESCRIPTION	DESIGNATION
<p>AIRTECHNIC IS 304</p> <p>Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Diameters: Ø80mm to Ø600mm</p>	EN 1856-2 T600-N1-D-Vm-L20040-G(100)M
<p>AIRTECHNIC IS 316 L</p> <p>Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses from 0,40 mm to 0,50 mm Diameters: Ø80mm to Ø600mm</p>	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M
<p>AIRTECHNIC MDA 304</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket/ rock wool fiber, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø600mm- Ø650mm</p>	EN 1856-2 T600-N1-D-Vm-L20040-G(100)M
<p>AIRTECHNIC MDA 316L/304</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø600mm- Ø650mm</p>	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M
<p>AIRTECHNIC MDA 316L PLUS</p> <p>Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses from 0,40 mm to 0,50 mm Insulation: ceramic fiber blanket, thicknesses ≥ 0,25 mm Diameters: from Ø80mm- Ø130mm to Ø600mm- Ø650mm</p>	EN 1856-2 T600-N1-D-Vm-L50040-G(100)M



Manager:

Anna Vasileva



dipl. eng. Anna Vasileva

Issued:
Burgas, 16 February 2024

Ref. No. 03-00