

CERTIFICATE

of Conformity of the Factory Production Control

1922 - CPR - 1168

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Chimneys. Requirements for metal chimneys. System chimney products.

(The relevant thicknesses and diameters of the product are described in Annex I, that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

AIRTECHNIC CHATZOUDIS LTD

MICHAIL KARAOLI 19 GR-14343 NEA CHALKIDONA, GREECE

and produced in the manufacturing plant

AIRTECHNIC CHATZOUDIS LTD

4th KM NATIONAL ROAD THIVA-CHALKIDA GR-32200 THIVA, GREECE

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 19.06.2019 and will remain valid until 19.02.2023 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Attestation & Certification

Manager:

Anna Vasileva



dipl. eng. Anna Vasileva

Issued:
Burgas, 21 February 2022

Ref. No. 01-00

ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-1168/ 21.02.2022

Chimneys. Requirements for metal chimneys. System chimney products, acc. to EN 1856-1:2009

DESCRIPTION	DESIGNATION
AIRTECHNIC IS 304 Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Diameters: $\varnothing 80$ mm to $\varnothing 500$ mm	EN 1856-1 T200-P2-D-Vm-L20040-O(40)
AIRTECHNIC IS 316 L Single wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses $\geq 0,40$ mm Diameters: $\varnothing 80$ mm to $\varnothing 500$ mm	EN 1856-1 T200-P2-D-Vm-L50040-O(40)
AIRTECHNIC MDA 304 Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4301 (304), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$ mm- $\varnothing 130$ mm to $\varnothing 500$ mm- $\varnothing 550$ mm	EN 1856-1 T200-P2-D-Vm-L20040-O(40)
AIRTECHNIC MDA 316L/304 Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4301 (304), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$ mm- $\varnothing 130$ mm to $\varnothing 500$ mm- $\varnothing 550$ mm	EN 1856-1 T200-P2-D-Vm-L50040-O(40)
AIRTECHNIC MDA 316L PLUS Double wall metal system chimney products: Internal Wall Material: stainless steel, No: 1.4404 (316L), External Wall Material: stainless steel, No: 1.4404 (316L), Thicknesses $\geq 0,40$ mm Insulation: ceramic fiber blanket, thicknesses $\geq 0,25$ mm Diameters: from $\varnothing 80$ mm- $\varnothing 130$ mm to $\varnothing 500$ mm- $\varnothing 550$ mm	EN 1856-1 T200-P2-D-Vm-L50040-O(40)



Attestation & Certification

Manager:

Anna Vasileva



dipl. eng. Anna Vasileva

Issued:
Burgas, 21 February 2022

Ref. No. 01-00